

Dentist: _____ Patient: _____ Sex: ___ M ___ F Age/DBO: _____

Office Address: _____ Check one: ___ New Order ___ Remake ___ Repair ___ Materials for existing order

CROWN/BRIDGE RX

Restoration / Alloy

- PFM Noble Semi-precious
- PFM High Noble precious
- PFM 75% Yellow Gold Premium
- Porcelain Fused to Zirconia
- Full Zircon No porcelain
- Full Zircon Anterior Super Translucent Esthetic Z
- Full Zircon inlay/onlay-incrustation
- Captek
- Full Cast Non-precious
- Full Cast Noble (yellow)
- Full Cast Noble (silver)
- Full Cast High Noble (yellow)
- Noble Gold Inlay/Onlay
- High Noble Gold Inlay/Onlay
- Pressed Ceramic crown e.max
- Pressed Ceramic veneer e.max
- Pressed Ceramic Inlay/Onlay
- Temporary Resin Crown



Circle one: **Crown** or **Bridge**

Occlusal Staining

Teeth # FDI: _____ ___ Light

Teeth # Universal: _____ ___ Medium

Incisal **Shade** _____ ___ Dark

Body **Shade** _____ ___ None

Cervical **Shade** _____ ___ Bisque Bake

Metal Try--in

Yes No

Contact Style

___ Normal

___ Heavy/Broad

___ Narrow

Pontic Design (if app) ___ Mod. Ridge Lap ___ Hygienic ___ Bullet ___ Ridge Lap

Metal Design

- Traditional PFM (180 metal collar)
- Facial Butt Shoulder 180 w/ collar
- Facial Butt Shoulder 180 no collar
- All porcelain butt shoulder 360
- Metal collar 360
- Show no metal
- Other (use special instructions)

Coping Design (if applicable)

- High Lingual
- Metal Ocel **no** Buccal Cusp
- Metal Ocel **w/** Buccal Cusp
- Other (use special instructions)

Occlusal Clearance

- In Occlusion
 - Light Occlusion
 - Out of Occlusion
 - Die Spacer on Opposing
- If no Occlusal Clearance
- ___ Lab should contact us
 - ___ Reduction coping
 - ___ Mark/reduce opposing
 - ___ Place metal island

Metal Rests/Guide Planes (select all that apply)

- Cingulum Rest Mesial Rest Distal Rest
- Mesial Guide plane Distal Guide plane

Over Implant or Post/Core? (if applicable)

- None Crown over implant Integ. post+ crown
- Separate post+ crown Post only (no crown)

DENTURE RX


Material Information

- Cast Metal Partial - vitallium
 - Valplast Processing (setup included with Rx)
 - Complete Valplast Partial Denture with teeth
 - Complete Valplast Partial Denture and Nobilium frame with teeth
- Valplast Clasps?
- ___ Yes
- ___ No

Design Information

- Upper Use Design by laboratory
- Lower Use Specified Design (see model or diagram)
- Both Upper & Lower

Specified Design (if applicable):



Special Instructions: Please give clear, FULL instructions. Do not abbreviate. (use back if more space is needed)

Special Instructions: Please give clear, FULL instructions. Do not abbreviate. (use back if more space is needed)

ProSti Dent
Laboratory Procedure Authorization
 3767 Boul Thimens, #269 Ville Saint-Laurent,
 QC, CANADA. H4R-1W4
 514.331.5852